

Product Range Hood  
Applicant Best Spa  
Via Giuseppe Verdi 34, 60043, Cerreto D'Esi (AN)  
Italy

Manufacturer Best Spa  
Via Giuseppe Verdi 34, 60043, Cerreto D'Esi (AN)  
Italy

Factory  See page 2

Ratings 195-235W 230-240V~ 50Hz

Trade mark



Model / Type Ref. BF4 Family

Principal characteristics Cl. II.  
 See next page(s)

A sample of the product was tested and found to be in conformity with

HOUS	EN 60335-1:2002;A11;A1;A12;A2;A13
	EN 60335-2-31:2003;A1
EMF	EN 50366:2003;A1
EMC	EN 55014-1:2006
	EN 55014-2:1997;A1
	EN 55015:2006
	EN 61000-3-2:2006
	EN 61000-3-3:2008
	EN 61547:1995; A1

Replaces This certificate replaces previous certificate No. P09210926/A1, due to adding new models in the family and adding new/alternative components.

Validity This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.

Additional information For explanation of the model name refers to attachment.  
 See next page(s)

Additional model(s) The above mentioned certified equipment complies with current regulatory requirements regarding electrical safety and electromagnetic compatibility (EMC) in Norway and other EU/EEA member states.  
 See next page(s)

Date of issue 05-07-2010



Signature

Stig Salbu

Certification Department

Nemko AS

P.O. Box 73, Blindern

N-0314 Oslo, Norway

Office address

Gaustadalléen 30

Oslo

Internet

[www.nemko.com](http://www.nemko.com)

Telephone

+47 22 96 03 30

Enterprise number:

Fax

+ 47 22 96 05 50

NO 974404532

Factories:

Best Spa  
Via Giuseppe Verdi 34  
60043 Cerreto D'Esì (AN)  
Italy

Best Poland z.o.o.  
ul. Pyskowicka  
41-807 Zabrze  
Poland

Date of issue 05-07-2010



Signature

Stig Salbu

Certification Department

Nemko AS

P.O. Box 73, Blindern

N-0314 Oslo, Norway

Office address

Gaustadalléen 30

Oslo

Internet

[www.nemko.com](http://www.nemko.com)

Telephone

+47 22 96 03 30

Enterprise number:

Fax

+ 47 22 96 05 50

NO 974404532

# Attachment to Nemko Certificate No. P09210926/A2

Order No. 148611

Example of type reference (similar for all models with this type of names)

**KK 020 L1 L2 PU**

1 2 3 4 5

1 : KK /K/KB = Wall mounting range hood

2 : 020 = aesthetic of range hood

3 : type of motor (S= small, M= medium, L= large) + number of motor/s (1 or 2)

4 : type of lighting (A= halogen lamp, L= incandescent lamp, P=fluorescent lamp ) + number of lamp/s

(1 or 2)

5 : type of control (PU = push button, SL = Slider switch, EL = Electronic switch, ER = Electronic rear light, ED = electronic display)

For the models: K31..B, K 20..B

.. = 04,20,35,39 indicating minor changes in aesthetics only.

For the models: K 33..B, K 33..C, K 33..A, K 32..A, K 21..A, KHC 31..A,

.. =,20,35,39 indicating minor changes in aesthetics only.

For the models: K30..G, KK 0.. M1 P PU, KK 0.. L1 A2 PU,

.. =04,20,29,35,39 indicating minor changes in aesthetics only.

For the model: K30..B

.. = 04,20,29,35,39 indicating minor changes in aesthetics only.

0.	Type code:	Rated power: (W)	Rated voltage: (V AC)	Frequency: (Hz)	Electrical safety class: (I )
1.	KK 024 M1 L2 PU	235	230-240	50	II
2.	K 24 SL	215	230-240	50	II
3.	K 24 PU	215	230-240	50	II
4.	KK 020 S1 L PU	215	230-240	50	II
5.	K 20..A	215	230-240	50	II
6.	K 31..A	215	230-240	50	II
7.	K 23..A	215	230-240	50	II
8.	K31..B	235	230-240	50	II
9.	P 550 S1 L2 SL	215	230-240	50	II

## Attachment to Nemko Certificate No. P09210926/A2

Order No. 148611

10.	P 560 M1 L2 EL	235	230-240	50	II
11.	K 33..B	235	230-240	50	II
12.	K 33..C	220	230-240	50	II
13.	KK 039 S1 L PU	215	230-240	50	II
14.	K 20..B	235	230-240	50	II
15.	K 224 S1 L2 SL	215	230-240	50	II
16.	K 224 S1 L2 PU	215	230-240	50	II
17.	K 224/P S1 L2 SL	215	230-240	50	II
18.	K 33..A	215	230-240	50	II
19.	K 32..A	215	230-240	50	II
20.	K 9556	215	230-240	50	II
21.	K 21..A	215	230-240	50	II
22.	ES 24 S1 L2 SL	215	230-240	50	II
23.	KHC 31..A	215	230-240	50	II
24.	IN 197 M1 L2 EC	235	230-240	50	II
25.	KB 140 S1 L2 PU	215	230-240	50	II
26.	KB 140 S1 L2 SL	215	230-240	50	II
27.	KK 2235 S1 L2 SL	215	230-240	50	II
28.	KB 200 M1 A2 PU	195	230-240	50	II
29.	KB 200 M1 L2 PU	235	230-240	50	II
30.	ALBA S1 L2 PU	235	230-240	50	II
31.	ALBA S1 A2 PU	195	230-240	50	II
32.	ALBA S1 L2 SL	235	230-240	50	II
33.	PARK M1	195	230-240	50	II